
STOYEV, Stoyu [Stoev, Stoiu]; BALASH, Ion [Balas, Ion]; GECHKO, Iozef [Hecko, Jozef]; VARKONI, Laslo [Varkoni, Laslo]

Friendship never grows old. Radio no.8:6-7 Ag '62. (MIRA 15:8)

1. Predsedatel' TSentral'nogo komiteta Dobrovol'nogo obshchestva sodeystviya oborone Narodnoy Respubliki Bolgarii (for Stoyev).

2. Zamestitel' predsedatelya TSentral'nogo soveta Soyuza fizkul'tury i sporta Rumynskoy Narodnoy Respubliki (for Balash). 3. Predsedatel' TSentral'nogo komiteta Soyuza sodeystviya armii Chekhoslovatskoy Sotsialisticheskoy Respubliki (for Gechko). 4. Zamestitel' predsedatelya Oboronno-sportivnogo soyuza Vengerskoy Narodnoy Respubliki (for Varkoni).

(Radio operators)



## VARKONY, R

VARKONY, R Superdensifying factor of natural gas in Hungary. p. 601

Vol. 10, No. 11, Nov. 1955 Budapest, Hungary AUTO MOTOR

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 5 No. 3, March, 1956

VARKONY, Rezso		The state of the s
\$		
		,
Chemical Abst.	•	$\omega$
Vol. 48 No. 3 Feb. 10, 1954	•	Valkony, Rezsö: Gazolintermelés és feldolgoz4a. Buda- pest: Nehezipari Könyv- és Polyóiratkiadó Vállalat 1952. 231 pp.
Petroleum, Lubricants	, and Asphalt	
	•	
		•

# VARKONY, REZSO

HUNGARY/Chemical Technology - Chemical Products and Their

I-13

Application. Treatment of natural gases and petroleum.

Motor fuels. Lubricants.

Abs Jour

: Referat Zhur - Khimiya, No 4, 1957, 12919

Author

Varkony Rezso

Title

: Compressibility Coefficients of Natural Gases of the

Hungarian Deposits

Orig Pub

: Foldgazaink tulsurithetosegi tenyezoje. Banyaszati lapok.

1955, 10, No 11, 601-605 (Hungarian)

Abstract

: Described is the method of calculation, and graphs are presented, of the compressibility coefficients of natural gases of Hungarian deposits; examples are given of calculations of this coefficient at different pres-

sures and temperatures.

Card 1/1

- 233 -

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"

VARKONY, REZIC

HUNGARY/Chemical Technology - Chemical Products and Their

H-23

Application - Treatment of Natural Gases and Petroleum. Motor and Rocket Fuels. Lubricants.

Abs Jour : Ref Zhur - Khimiya, No 3, 1958, 9288

Author

: Varkony Rezso

Inst Title

: Moisture Content of Natural Gas and Methods of Reducing

It to Ensure Safe Transportation.

Orig Pub : Banyaszati lapok, 1956, 11, No 7, 433-438

Abstract : No abstract.

Card 1/1

10

Data on the theory and evaluation of erythrocyte sedimentation. Magy.
belorv. arch. 3 no.4:139-143 1950. (CIML 25:5)

1. Doctor. 2. Second Internal Clinic (Director -- Prof. Dr. Inre
Haynal), Iorand Fotvos University.

B. WARKCNYI, Agnes, a tortenettudomanyok kandidatusa

"Kuruo" Captain Albert Kis. Elet tud 15 no.51:1603-1607 18 D 160.

R. VARKONYI, Agnes, a tortenelemtudomany kandidatusa

**表现的现在分词** 

A polemic session on the questions of the absolute state. Magy tud 69 no.8:518-521 Ag '62.

1. Magyar Tudomanyos Akademia Tortenettudomanyi Intezetenek osztalyvezeto helyettese, Budapest.

KALDOR, Antal, dr.,; VARKONYI, Andrae, dr.


Effect of intravenous dextrose on esosinophil count. Orv. hetil.

96 no.32:878-81 7 Aug 55.

1. A Magyar Nephadsereg Egeszsegugyi Szolgalata.

(EOSINOPHIL COUNT, effect of drugs on, dextrose, intravenous admin.)

(GLUCOSE, effects, on eosinophil count, intravenous admin.)



VARKONYI, D.

Requirements in statistics of street accidents. p. 31. KOZLEKEDESTUDOMANYI SZEMLE. (Kozlekedesi Kiado) Budapest. Vol. 6, No. 1, Jan. 1956


SOURCE: East European Accessions List (EEAL) Library of Congress Vol. 5, No. 6, June 1956

## VARKONYI, D.

Remarks on Laszlo Gabor Horvath's article "Experimental Research on the Effects of Fatigue and the onsumption of "lcohol." p. 385.

( KOZLEKEDESTUDOMANYI SZEMLE, Budapest, Vol. 4, No. 10, Cet. 1954.)

SO: Monthly list of East European Accessions, (EEAL), LC, Vol. 4, No. 2, Ean. 1955, Uncl.



FOLDVARI, Feren (Budapest); PAPP, Istvan, gepkocsivezeto; VARKCHYI, Ferenc, felugyelo (Budapest, IX., Peceli ut 1); ERDELYI, Kalman (Monor, Voroshadsereg u. 24).

Motorists' letters. Auto motor 16 no.22:5 21 N '63.

- 1. Varosi Tanacs, Dunaujvaros (for Papp).
- 2. Magyar Allamvasutak (for Varkonyi).

## VARKONYI, Farenc

Current questions relative to the material management of the Hungarian State Railways. Vasut 13 no.3:12-13 Mr 163.

1. Kozponti Szertar.

# VARKONYI, G.

Aureomycin therapy. Orv. hetil. 92 no.12:388-389 25 Mar 1951.

1. Doctor. 2. Bertalan Stiller Jewish Religious Community General Hospital (Director - Head Physician -- Dr. Laszlo Benedek).

## VARKONYI, G.

**若護國國際**學科學學以為100年第一年以前1

Modern electrocardiography in better patient service. Orv. Hetil., Budap. 92 no.34:1092-1097 26 Aug 1951. (CLML 20:11)

1. Doctor. 2. Peterfy Sandor-utcai Hospital and Polyclinic.

VARKONYI, G.

Bipolar and unipolar precordial leads in modern electrocardiography and their value in the diagnosis of myocardial infarct. Orv. hetil. 94 no. 1:22-25 4 Jan 1953. (CIML 24:1)

1. Doctor. 2. Electrocardiagraphic Laboratory of Peterffy Sandor-utcai Hospital-Polyclinic (Director - Head Physician -- Dr. Jozsef Lendvai).


YARKONYI, G.

Bipolar & unipolar precordial leads in modern electrocardiography and their value in the diagnosis of myocardial infarct. Orv. hetil. 94 no. 2:42-47 11 Jan 1953. (CIML 24:1)

1. Doctor. 2. Institute of Forensic Medicine (Director -- Prof. Sandor Okros), Debrecen Medical University.

VARKONYI, Geza

Study trip of the winners of the innovation contest. Magy textil 11/4 no.4:187-188 Ap 1/62



VARKONYI, Geza

Problems relating to group organizational methods. Magy textil 15 no.12:559-563 D \*63.

```
MIHOCZY, Laszlo, dr.; VARKONYI, Gyozo, dr.

Ballistocardiography in pulmonary tuberculosis. Orv. hetil.
97 no.33:901-904 12 Aug 56.

1. A Budapesti Orvostudomanyi Egyetem Tudogyogyaszati
Klinikajanak (igazgato: Kovats, Ferenc, dr. egyetemi tanar) es a
Peterfy Sandor utcai Korhaz randelointezet (igazgato: Lendvai, Jozaef,
dr.) Szivvizegalo Osztalyanak kozlemenye.
(BALLISTOCARDIOGRAPHY, in various dis.
tuberc., pulm. (Hun))
(TUBERCULOSIS, PULMOMARY, diag.
ballistocardiography (Hun))
```

VARKONYI, Gyozo, dr.

Monoamine oxidase inhibitors in the treatment of angina pectoris. Orv. hetil. 102 no.46:2184-2187 12 N 161.

1. Peterffy Sandor utcai korhaz-rendelo, Szivbeteggondozo.

(ANGINA PECTORIS ther) (OXIDASES antag)

HUNGARY

<u>VARKONYT. Gyozo.</u> Dr: Peterfy Sandor Street Hospital and Ambulatory Service, Heart Disease Center (Peterfy Sandor Utcai Korhaz-Rendelointezet, Szivbeteggondozo), Budapest.

"New, Domestically Produced Drug for the Treatment of Angina Pectoris Syndrome."

Budapest, Orvosi Hetilap, Vol 104, No 37, 15 Sept 63, pages 1749-1751.

Abstract: [Author's Hungarian summary modified] Corontin, a domestically produced drug has been tested on 58 ambulant patients for the treatment of angina pectoris in the presence of sclerosis of the coronaries. It was very effective in 65 per cent, ineffective in 17 per cent of the cases tested. Toxic side-effects have not been noted and the tolerance for the drug was found to be very good. The drug can be administered with other drugs simultaneously, having no synergic or antagonistic effect. Corontin proved to be very effective in the treatment of angina pectoris syndrome. Its effect is symptomatic, details of its action mechanism are not yet clarified. 4 Hungarian references.

1/1

## Cardiovascular Diseases

HUNGARY

VARKONYI, Gyozo, Dr; Peterfy Sandor Street Hospital and Ambulant Services, Specialist Service in Cardiology (Peterfy Sandor Utcai Korhaz-Rendelointezet, Kardiologiai Szakrendeles).

"Errors Derived from Incorrect Interpretation of the Electrocardiogram."

Budapest, Orvosi Hetilap, Vol 107, No 47, 20 Nov 66, pages 2224-2228.

Abstract: [Author's Hungarian summary modified] Attention is called to the fact that the extremely widespread use of EKG examinations is not accompanied by a corresponding theoretical and practical preparation of some of the general practitioners who evaluate the test results. Erroneous evaluation of the results can lead to the most frequent iatrogenic "heart disease", that caused by EKG. Attention is called to changes in the EKG which can be caused by a number of extracardial factors. Fluctuations in these factors may also lead to temporary changes in some of the EKG values. In the absence of adequate caution, interpretation of such changes may create confusion in the evaluation of carditis, myocardial infarct and several other diseases. A dangerous source of error in the EKG is the ST segment, indicative of repolarization, and the T wave; some practical suggestions are given for the evaluation of these areas with special emphasis on the need of serial control. With respect to the diagnosis of subendocardial infarct, the characteristics of the EKG which, until recently, was considered "mute", are analyzed. EKG is made indispensable and reliable only by the simultaneous, complete physical and psychic examination of the patient. 5 Eastern European, 11 Western references.

AVSKOUAL' T'

AGRICULTURE

PERIODICAL: AZ ERDO Vol. 7, no. 11, Nov. 1958

Varkonyi, L. Possibilities of planting fast-growing species of trees in the area between the Tisza and the Danube. p. 424

Monthly list of East European Accessions (EEAI) LC, Vol. 8, No. 2, February 1959, Unclass.

## VARKONYI, L.

Ten years of freedom, p. 4., (REPULES, Budapest, Hungary), Vol. E, No. 1 Jan. 1955.

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 5, May 1955.

VARKOMYI, L.

Aleksei Maresiev, heroic Soviet pilot, becomes a camdidate in historical sciencel p. 6., (REFULES, Budapest, Hungary), Vol. 8, No. 1. Jan. 1955.

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 5, May 1955.

VARKONYI, Lajos; KREESZ, Forenc


Revolving target holder for irradiation in reactors. Koz fiz kozl MTA 12 no.4:313-316 '64.

1. Central Research Institute of Physics, Hungarian Academy of Sciences, Pudapest.

al en le company de la com La company de la company d VARKONYI, Lajos

Rearranging the active zone of the VVR-S reactor. Kcs fiz kozl MTA 13 no.1:41-47 65.

1. Submitted December 10, 1964.



HUNGARY / Forest Science. Forest Cultures.

K-4

Abs Jour

: Ref. Zhur - Biologiya, No 17, 1958, No. 77542

Author

: Varkonyi, Iaszlo

Inst

: Not given

Title

: Afforestation of Hilly Sands

Orig Pub

: Erdo, 1957, 6, No 8, 303-307

Abstract

: The forest cultivation practice is described in the region of the city of Kishkunkhalash (Hungary) on areas of hilly sands which had earlier served as cattle pasture. Efforts began in 1949, with afforestation of the foothills of the hills, for which black and common pine, false acacia, hybrid poplars, gray poplar, maple and oak were used (the agroengineering of the cultivations is described). In the first year, the hybrid poplar and false acacia grew well, the gray poplar vegetated, but cultivations of the pine fell off 60-65%. In 1952, the growth of pines was corrected, but

Card 1/2

HUNGARY

MEZEI, Bela, Dr., POSTYENYI, Sz. Katalin, <u>Dr., VARKONYI, Peter. Dr.;</u> City and Megye Hospital of Szekesfehervar, Neurological and Psychiatric Ward (Szekesfehervari Varosi es Megyei Korhaz Ideg-Elmeosztalya) (Director: SZORO, Zoltan, Dr).

"Increase of Insulin Sensitivity with Ganglion-Blocking Agents During Insulin Shock Therapy. I. Hexameton."

Budapest, Ideggyogyaszati Szemle, Vol XIV, No 4, Apr 63, pages 108-111.


Abstract: [Authors' Hungarian summary] During insulin shock therapy on 28 patients the coma dosage was decreased by 75-25 per cent if insulin was used in combination with hexamethon. In this combination the coma sets in sooner and the accompanying vegetative symptoms are milder. No complication was observed from this combined use of hexamethon. 17 Western, 2 Eastern European references.

1/1

三种种 三


L 34962-66 EWP(t)/ETI IJP(c) JH/JD/WB  ACC NR: AP6026663 SOURCE CODE: HU/0014/65/098/008/0353/0356	
AUTHOR: Sinay, Gabor—Shinai, G.; Varkonyi, Sandor—Varkoni, Sh.  ORG: Research Institute for the Metal Industry (Femipari Kutato Intezet)	I
TITIE: Surface defects observed on sheet aluminum after transportation	
SOURCE: Kohaszati lapok, v. 98, no. 8, 1965, 353-356	3
TOPIC TAGS: aluminum, sheet metal, metal oxidation	
ABSTRACT: Surface defects, not unlike mildew stains in appearance, are occasionally observed on sheet aluminum after shipping. Tests conducted to establish the causes of this defect indicated that it is caused by frictional oxidation. This phenomenon has been described by STELJES, H.A., (Aluminium, Vol 19, No 5, 1937, pp 291-292). In most instances the stains consist of small indentations less than 0.1 mm. deep, surrounded with a greyish halo. It was proven that the defect is not caused by inclusions or spark corrosion, and that it does not affect the mechanical characteristics of the sheet. The sheets do not corrode further after the cessation of the cause. Orig. art. has: 16 figures. [JPRS: 32,491]	
SUB CODE: 11 / SUBM DATE: none / OTH REF: 003	
Card 1/1 JS UDC: 669.71:621-413/.416:620.19	


APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"



ARKO	v, v. s.			-									
"Electrolytic reduction of haloalkysubstituted aromatic nitro compounds". Berezovskii, V. M. and Varkov. V. S. (p. 100).  SO: Journal of General Chemistry (Zhurnal Obshchei Khimii). 1953, Volume 23, No. 1.												l•	
50:	Journal of	<u>General</u>	Chemistry	(Zhurnal	Obshchei	Khimii).	1953,	Volume	23,	No.	1.		
				-									
	•												

#### 





KRAYEVOY, S.Ya.; YES'KIH, B.I.; ZAYTSEV, H.M.; VARKOVA, O.M.

Developing methods of shelterbelt afforestation for the Yergeni Hills. Trudy Inst.lesa 42:11-66 '59.

(Yergeni Hills-Windbreaks, shelterbelts, etc.)

KRAYEVOY, S.Ya.; ZAYTSEV, N.M.; YES'KIN, B.I.; VARKOVA, O.M.

Protecting young English oak plantations by strip plantings of shrubs and tall field crops. Trudy Inst.leas 42:67-97 (MIRA 12:12)

159.

(Oak) (Windbreaks, shelterbelts, etc.)

BEREZIN, Boris Mikhaylovich; PASINKOV, V.V., prof., doktor tekhn.nauk, otv.red.; VARKOVETSKAYA, A.I., red.; TSAL, R.K., tekhn.red.

[Materials for electricians in shipbuilding] Materialovedenie dia elektrikov-sudostroitelei. Leningrad, Gos.soluznos izd-vo sudostroit.promyshl., 1960, 212 p.

(Shipbuilding--Supplies) (Electricity on ships)

KROPIVNITSKIY, N.N.; HYCHKOV, P.P., kand. tekhn. nauk, retsenzent;
SHUBAYEV, Yu.S., inzh., retsenzent; BLYUMEERG, V.A.,
kand. tekhn. nauk, red.; CHFAS, M.A., red.izd-va;
VARKOVETSKAYA, A.I., red.izd-va; BARDINA, A.A., tekhn. red.

[General course in machine-shop practice] Obshchii kurs
slesarnogo dela. Moskva, Mashgiz, 1963. 407 p.

(MIRA 17:2)


KUSHUL', Veniamin Moiseyevich; NAYDENKO, O.K., kand. tekhn. nauk, retsenzent; KAZAKOV, L.M., inzh., retsenzent; ZAKHARENKO, B.A., nauchn. red.; VARKOVETSKAYA, A.I., red.

[New type of internal combustion engine] Novyi tip dvigatelia vnutrennego sgoraniia. Leningrad, Sudostroenie, (MIRA 18:4)

1965. 211 p.

ROZHANSKIY, Grigoriy Stanislavovich; KARAS', V.Z., kand. tekhn.
nauk, retsenzent; SHTYKIN, R.Z.. inzh.. retsenzent;
VARKOVETSKAYA, A.I., red.
[Marine internal combustion engines; construction organiza-

[Marine internal combustion engines; construction organization] Sudovye dvigateli vnutrennego sgoraniia; konstruktivtion] Sudovye dvigateli vnutrennego sgoraniia; konstruktivnoe ustroistvo, Leningrad, Sudostroenie, 1965. 390 p. (MIRA 18:8)



KALININ, Georgiy Yevgen'yevich; SULOYEV, A.V., kand. tekhn. nauk; BOGOMOLOV, reteenzen; ASTRATOV, N.A., kand. tekhn. nauk; BOGOMOLOV, V.S., kand. tekhn. nauk, nauchn. red.; VARKOVETSKAYA, A.I., red.

[Model tests of marine turbines and engines] Model'nye ispytania sudovykh turbin i mashin. Leningrad, Sudostroenie, (MIRA 18:11) 1965. 193 p.

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"

VARKOVETSKIY, I. B.

The organization of a dept. for the fast machining of metals by cutting

Vest Mash p. 57, Sep 51


APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"


FYRSHIROTU, Z. [Firsirotu, Z.], farmatsevt (Bukharest, Rumynskaya Narod-naya Respublika); KONIVER, L., doktor (Bukharest, Rumynskaya Narodnaya Respublika); YARKOVICH, Kh., doktor (Bukharest, Rumyn-Narodnaya Respublika); ROSSETI, M., farmatsevt skaya Narodnaya Respublika); ROSSETI, M., farmatsevt


Study of the sterilizing action of silver ions. Apt.delo 9 (MIRA 13:6) no.2:86-90 Mr-Ap '60.


1. Iz laboratorii kontrolya medikamentov Nauchno-issledovatel:skogo farmatsevticheskogo instituta. (SILVER--PHYSIOLOGICAL EFFECT)


APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"





























APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"





APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"



Determination of the blood volume and the erythrocyte life span
with the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vith the aid of erythrocytes labeled with Cr51. Prim. radicaktiv.
vi

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"

### YUGOSLAVIA

Dr Boris KASTELIC and Dr Bojan VARL, Internal Medicine Clinic of Medical Faculty, Radioisotope Laboratory (Radioizotopni laboratorij, Interna klinika Zdravniske fakultete,) Ljubljana; Head (Predstojnik) Prof Academician Dr I. TAVCAR, Ljubljana.

"Evaluation of Thyroid Function by the Two-Phase Radioiodine Metabolism Test."

Belgrade, Medicinski Glasnik, Vol 17, No 3-4, Mar-Apr 63; pp 109-111.

Abstract: Data from 832 patients in whom various radioiodine tests were done during the course of the past year. One graph shows percentage of eu- and hyperthyroid patients plotted against percentage of fixation and time. Various other indices are shown. The test is highly praised as diagnostic aid in thyroid conditions. Four graphs, 4 tables, 3 Wistern references.

1/1

18


CIA-RDP86-00513R001858620012-8" APPROVED FOR RELEASE: 08/09/2001


SHTEYNBERG, D.S.; KRAVTSOVA, L.I.; VARLAKOV, A.S.

Basic geological features of the Kusinskiy gabbroic intrusion and its ore deposits. Trudy Gor.-geol. inst. UFAH SSSR no.4(:13-40 159.

(Kusinskiy region--Geology, Structural)

(Ore deposits)





VARIAKOV, A.S.

**利用問題**對於1

Ascharite from the Bakal iron ore deposit in the Urals.

Dokl. AN SSSR 143 no.1:207-209 Mr 162. (MIRA 15:2)

1. Sverdlovskiy gornyy institut im. V.V.Vakhrusheva. Predstavleno akademikom A.G.Betekhtinym. (Bakal Region-Szaibelyite)

VARLAKOV, Mikhail Nikolayevich [deceased]; TUROVA, A.D., prof., doktor med. nauk; LESKOVA, Ye.S., red.; BASHMAKOV, G.M., tekhn.red.

[Selected works] Izbrannye trudy. Sost. i otredaktirovala A.D.Turova. Moskva, Medgiz, 1963. 170 p. (MIRA 16:6) (BOTANY, MEDICAL)

VARLAKOV, V.D.

Radial stresses in rolling holes by ball mandrels. Izv.TPI 85:260-269
157. (MIRA 10:12)

1.Predstavleno prof. doktorom tekhn.nauk A.N. Yereminym.
(Rolling (Metalwork))

VAKANOV, V.D.

Designing ball mandrels used for rolling holes. Izv.TPI 85:270-272
157. (MIRA 10:12)

1.Predstavleno prof. doktorom tekhn.nauk A.N. Yereminym.

(Rolling (Metalwork))

VERLEICH, V. L.

VARLAKOV, V.D.

Problems in designing equipment for machining shafts on multiblade machine tools. Izv.TPI 85:273-280 '57. (MIRA 10:12)

l.Predstavleno prof. doktorom tekhn.nauk A.N. Yereminym. (Machine tools--Attachments)

s/126/62/013/005/005/031 E111/E435

Varlakov, V.P., Romashov, V.M.

Investigation of the process of formation of cubic AUTHORS:

texture in transformer steel TITLE:

PERIODICAL: Fizika metallov i metallovedeniye, v.13, no.5, 1962,

671-675

The kinetics and mechanism of cubic-texture formation during production of transformer sheet have not been studied sufficiently. The object of the present work was to study this process in transformer steel 0.05 and 0.1 mm thick. were obtained from 2.5 mm thick hot-rolled coiled strip (composition: 3.06% Si, 0.04% C, 0.13% Mn, 0.005% S, 0.012% P, 0.03% Cr, 0.11% Ni). This was rolled as follows: 1) 2.5  $\rightarrow$  0.6 mm - HT no.1  $\rightarrow$  0.2 - HT no.2  $\rightarrow$  0.1 - HT no.3; 2) 2.5  $\rightarrow$  0.6 mm - HT no.1  $\rightarrow$  0.2 - HT no.2  $\rightarrow$  0.05 - HT no.3. Heat treatment no.l is annealing of the coil in dry hydrogen at 1150°C for 4 hours; no.2 is the same at 850°C; no.4 is annealing of 15 x 1 cm strip pieces at 10<sup>-2</sup> mm Hg for 4 hours at Card 1/2

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8" Investigation of the process ...

S/126/62/013/005/005/031 E111/E435

1150°C. X-ray methods were used for studying texture. Cubic texture was successfully obtained in strip of both thickness by this method. The cubic texture develops during "secondary" recrystallization after two-stage cold rolling of steel with ribtexture, the degree of completeness attained being dependent on the reduction during cold rolling; at least 70% is required to give the most complete conversion to cubic texture. There are 6 figures.

ASSOCIATION: Zavod "Elektrostal'" ("Elektrostal'" Works)

SUBMITTED: November 16, 1961

Card 2/2

### 

VARLAKOV, V.P., inzh.; STERLIN, R.L., inzh.; SHOVENSIN, A.V., inzh.


Texture formation and magnetic properties of E33P transformer steel. Stal' 25 no.10:938-940 0 '65. (MIRA 18:11)

# "APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8

L 40992**-**66 EWT(m)/EWP(t)/ETI ACC NR: AP6027289 IJP(c) JD/HW SOURCE CODE: UR/0133/66/000/006/0713/0716 AUTHOR: Dzugutov, M. Ya.; Stepanov, V. P.; Varlakov, V. P. ORG: Elektrostal' Plant (Zavod "Elektrostal'") TITIE: Effect of the melting method on the properties, phase composition, and SOURCE: Stal', no. 8, 1966, 713-716 TOPIC TACS: nickel chromium titanium alloy, aluminum containing alloy, nickel chromium allow, malting, allow vacuum melting, allow electroslag melting / KhN77TYuR titanium allo ABSTRACT: The effect of vacuum arc melting and electroslag melting on the chemical and phase composition, structure, and properties of KhN77TYuR heat-resistant hickel-base alloy has been investigated. Neither vacuum arc nor electroslag melting brought about any significant changes in the content of alloying elements, impurities, or gases, except for lead and zinc, whose respective contents, 0.00011 and 0.0027%, in the vacuum-arc melted metal were considerably lower than those in conventionally melted (open atmosphere arc furnace) and electroslag melted metals, 0.00037-0.00039% and 0.0048-0.0047%. The melting method was found to have no significant effect on the structure and grain size of alloy or on the rate of grain growth in alloy cold. rolled with reductions of 5-25% and then annealed at 800-1200C. A considerable Card 1/2 UDC: 669.187.26:669.187.2.083.4:621.365.2

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"

PAMMAN (A) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2729
TO AND	. "
36821-66 EWP(k)/EWT(m)/T/EWP(t)/ETI IJP(c) JD/HW SOURCE CODE: UR/0129/66/000/006/0038/0039	
36821-66 EWP(k)/EWT(m)/T/EWP(t)/ETI IJP(c) JD/HW  ACC NR: AP6019504 SOURCE CODE: UR/0129/66/000/006/0038/0039	
33	
UTHOR: Varlakov, V. P.	
RG: "Elektrostal:" Plant (Zavod "Elektrostal") on the formation	
RG: "Elektrostal'" Plant (Zavod Elektrostal) RG: "Elektrostal'" Plant (Zavod Elektrostal) on the formation of the formation of the formation of the formation of recrystallization structures in N29K18 and N47Kh alloys (Source: Metallovedeniye i termicheskaya obrabotka metallov, no. 6, 196	
COURCE: Metallovedeniye i termicheskaya obia.	
38-39 alloy steel	
TOPIC TAGS: cold rolling, metal recrystallization, alloy steel  ABSTRACT: The investigation was carried out on a series of alloys of standard composition hot rolled to a thickness of 3.4 to 4 mm. Before standard composition hot rolled samples were subjected to a recrystallizing cold rolling, the hot rolled samples were subjected to a recrystallizing anneal was allowed and cooled in air. Cold rolling was done on a six anneal was 1000°C and cooled in air. Cold rolling was done furnace at anneal was done in a straight through furnace at roller mill. Heat treatment was done in a straight through furnace at 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate of 3 meters/min. For investigation 900°C, in hydrogen, at a band rate o	
Card 1/2	




### "APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8


VARLAM, E.

Equipment of a sport parachutist. p. 24. ARIPILE PATRIEI. (Asociatia Voluntara pentru Sprijinirea Apararii Patriei) Bucuresti. Vol. 2, no. 8, Aug. 1956.

SOURCE: East European Acessions List, (EEAL), Library of Congress, Vol. 5, No. 11, November, 1956.

### "APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8





VARIAMOV, A.

Ways to improve financial work. Fin. SSSR 16 no.10:63-67 0 '55.

1. Zaveduyushchiy Smolenskim oblfinotdelom.

(Smolensk Province--Finance)

**基础的图像**自然的表示。这是是一个

### "APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8

VARLAMOV, Aleksandr Georgiyevich; MYL'NIKOV, V.P., red.; FEDOROV, B.M., red.; Inchor Trva, L.N., tekhn.red.

[Handbook on corrosion-resistant and refractory linings]
Posobie obmurovshchiku. Moskva, Goelesbumizdat. 1959. 115 p.

(MIRA 12:12)

(Gorrosion-resistant materials) (Refractory materials)

### "APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8

SOV/91-58-2-22/31

Varlamov, A.I. and Cherkesov, A.I., AUTHORS:

Engineers

To the Question of Using Parallel Wires TITLE:

Having Different Sections in Electric-Machine Windings (K voprosu primeneniya parallel nykh provodov raznykh secheniy v

obmotkakh elektricheskikh mashin)

Energetic, 1958, Nr 2, p 33-34 (USSR) PERIODICAL:

The "Sevkavenergoremont" enterprise re-tested ABSTRACT:

the assertion of the engineer  $\bar{Y}e$ . A. Dashevskiy according to which one may use parallel wires having different sections in electric-machine The motors used in the tests were: windings. one MT-62/6-type motor having 10 kW capacity, one R-42/4-type with 5.8 kW capacity and one

AD-52/2-type having 12 kW capacity. The Card 1/2

APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8"

SOV/91-58-2-22/31

To the Question of Using Parallel Wires Having Different Sections in Electric-Machine Windings

ratio of the parallel-wires' sections in the stator's windings was taken as being approximately equal to 3. The results of the tests confirmed Dashevskiy's assertion. The results can also be used for power transformers. There are 2 tables and 1 Soviet reference.

Card 2/2

VARLAMOV, A.I.; GOLUBEV, A.V.; AKHOBADZE, A.V. (Gruzinskaya SSR)

Production and use of peat fertilizers and litter. Torf. prom.
37 no.5:21-22 '60. (MIRA 14:10)

1. Moskovskiy oblastnoy sovnarkhoz (for Varlamov). 2.
Smolenskiy oblispolkom (for Golubev).

(Peat)

(Fertilizers and manures)

VARLAMOV, Aleksey Nikolayevich; YUDINA, L.A., red. izd-va; OSENKO, L.M., tekhn. red.

[Use of precast reinforced-concrete roofs in horsing construction] Primenenie sbornykh zhelezobetonnykh krysh v zhilishchnom stroitel-stve; iz opyta Moskvy i Moskovskoi oblasti. Moskva, Gos. izd-vo lit-ry po stroit., arkhit. i stroit. materialam, 1961. 172 p.

(MIRA 14:11)

(Roofing, Concrete)

VARIAMOV, Aleksey Nikolayevich, inzh.; KOVALEVSKIY, Dominik Fomich, inzh.; BAZHORA, Filipp Vladimirovich, inzh.; LYTKINA.L.S., red.; GOL'BERG, T.M., tekhn. red.

[Preparing complete prestressed concrete trusses on the construction site] Izgotovlenie tsel'nykh zhelezobetonnykh predvaritel'no napriazhennykh ferm na stroitel'noi ploshchad-ke; opyt Glavmosoblatroia. Moskva, Gos. izd-vo lit-ry po stroit., arkhit.i stroit. materialam, 1960. 28 p.

(MIRA 14:5)

(Trusses)

(Prestressed concrete)

VARLAMOV, A.S.; MIKHAYLOV, I.N.; NIKITIN, A.A.; PUCHKOV, Ye.P.;
TARKHOV, A.G.

Some features of the method of processing the results of geophysical research in direct prospecting for diamonds in the Yakut A.S.S.R. Izv. vys. ucheb. zav.; geol. i razv. 3 no.12:58-97 D 160. (MIRA 14:5)

L. Moskovskiy georogorazvedochnyy institut imeni S. Ordzhonikidze.
(Yakutia—Diamonds)
(Prospecting—Geophysical methods)

ACCESSION NR: AP4018161

S/0191/64/000/003/0020/0022

AUTHOR: Andrianov, K. A.; Khananashvili, L. M.; Varlamov, A. V.; Tikhonov, V. S.

TITLE: Synthesis of borosiloxane oligomers and their stability to hydrolysis

SOURCE: Plasticheskiye massy\*, no. 3, 1964, 20-22

TOPIC TAGS: borosiloxane, oligomer, borosiloxane oligomer, hydrolytic stability, hydrolysis, phenylaminomethyl group

ABSTRACT: Borosiloxane oligomers containing phenylaminomethyl group at the Si atom were synthesized from suitable proportions of triacetoxyboron and methylphenylaminomethyldiethoxysilane: CH<sub>2</sub> CH<sub>3</sub> CH<sub>4</sub> CH<sub>4</sub> CH<sub>5</sub> CH<sub>5</sub> CH<sub>5</sub> CH<sub>5</sub> CH<sub>5</sub> CH<sub>5</sub> CH<sub>5</sub>

1/2 المدت

APPROVED FOR RELEASE: 08/09/2001 CIA-RDF

CIA-RDP86-00513R001858620012-8"

# ACCESSION NR: AP4018161

The oligomers in which the number of phenylaminomethyl groups is equal to the number of B atoms in the molecule (compound III) or are greater than the number of B atoms (I and II) are stable to hydrolysis; the oligomer in which the number of B atoms exceeds the number of phenylaminomethyl groups (IV) is hydrolytically unstable. "Han En-tse took part in the experimental work". Orig. art. has: 1 table, 1 figure and 4 formulae.

ASSOCIATION: None

SUBMITTED: 00 SUB CODE: CH

DATE ACQ: 27Mar64 NO REF SOV: 002

ENCL: 00 OTHER: 001

Cord 2/2

ORLOV, V.P., kand.sel'skokhoz.nauk. Prinimali uchastiye: AVROV, N.N.;

BASENKO, P.V.; VARLAMOV, D.A.; VASIL'YEV, I.I.; VLASOV, V.H.;

VYLEGZHANINA, V.A.; ZHIVET'TEV, V.G.; ZAVADSKIY, I.S.; ZALESSKIY,

Ye.Ya.; ZAKORYUKIN, D.S.; ISHCHENKO, I.N.; KACHIBAYA, I.D.; KISELEV, Ye.S.; KOZHEVNIKOV, I.Z.; LISITSYN, V.I.; MESHCHERYAKOV, V.F.;

NYURIN-VERTSBERG, R.L.; PEREPELITSA, V.M.; RYABKOV, A.D.; SKURIKHIN,

I.P.; SOLOV'YEV, N.A.; YAS'KO, N.G., GREBTSOV, P.P., red.; ZUBRILINA,

Z.P., tekhn.red.

[Our farms in 1965] Nashi khoziaistva v 1965 godu. Moskva, Gos. izd-vo sel'khoz.lit-ry, 1959. 230 p. (MIRA 13:2) (Agriculture)

# VARLAMOV, F.A. [The shift on duty at the Automatic Telephone Exchange] Dezburnaia smens ATS. Moskva, Gos.izd-vo lit-ry po voprosan sviazi i radio, 1952. 15 p. (MLRA 6:7) (Telephone, Automatic)

# VARIAMOV, G.I.

Physical and geographical conditions for building forest roads in the upper Vychegda Basin. Trudy Komi fil. AN SSSR no.3:121-130 '55. (Vychegda Valley--Forest roads) (MLRA 9:10)

### 

ACC NR: AP6036719

SOURCE CODE: UR/0119/66/000/011/0025/0027

AUTHOR: Varlamov, G. K. (Engineer); Makarov, A. I. (Engineer); Nikolayev, S. A. (Engineer); Polevaya, Zh. A. (Engineer); Shvartsman, L. D. (Engineer)

ORG: none

TITLE: Investigating reliability of USEPPA discrete elements

SOURCE: Priborostroyeniye, no. 11, 1966, 25-27

TOPIC TAGS: pneumatic control element, pneumatic control system / USEPPA

pneumatic control system

ABSTRACT: The preliminary results are reported of an investigation of reliability of USEPPA pneumatic-control elements fabricated by the Ust'-Kamenogorsk Instrument Plant. Lack of time and continuous modernization of

Card 1/2

UDC: 62.525 "401.7"

# ACC NR: AP6036719


elements did not permit conducting a thorough investigation. Tests in "yes-no" circuits were conducted at frequencies up to 2.5 cps (some up to 10 cps), at 25C and 40-70% humidity; the elements were regarded as nonrepairable equipment; supply pressure, 1-4 kg/cm; twelve different types of elements were tested. The values of the mean time to failure are tabulated. It was found that:

(1) Relay-type elements have a least reliability in the 2.5-5-cps range; (2) The mean time to failure for diaphragm- and shutter-type elements has the same order of magnitude and is practically independent of their circuits; (3) The use of a supply pressure of 1 kg/cm<sup>2</sup>, instead of 1.4 kg/cm<sup>2</sup>, increases the reliability of the elements tenfold; (4) Generally, the failures were caused by wear, and their distribution seems to obey the normal law. Details of tests and hints for modernization are discussed. Orig. art. has: 4 figures, 4 formulas, and 1 table.

SUB CODE: 13 / SUBM DATE: none / ORIG REF: 002

Card 2/2

## "APPROVED FOR RELEASE: 08/09/2001 CIA-RDP86-00513R001858620012-8



And the second second second	VSB-3 melon seed separator. Trakt. i sel'khozmash. no.1:24-25 Ja '58. (MIRA 11:4)  1. Vsesoyuznyy nauchno-issledovatel'skiy institut sel'skokhozyayst- vennyogo mashinostroyeniya.				
	Aeunkogo masurnos	(Seeds-Cleaning)	(Vine crops)		